







WRIGHT™

BUILT. TESTED. PERFECTED.



2026 PRODUCT BROCHURE





BUILT BY LANDSCAPERS. FOR LANDSCAPERS.

"Every mower we create is built with a purpose: to improve the work and lives of professional landscapers. We started out as a landscaping company that needed better equipment, so we designed and created it. Today we are a team aligned to serve your needs. This means that every part of every mower we build has you in mind."

- Ed Wright, *CEO*





WHY WRIGHT™?

MORE JOBS, MORE PROFIT
Less trimming and maintenance means more completed jobs per day—driving profit directly to your bottom line.


UNMATCHED PERFORMANCE
Powerful, responsive control and superior stability to confidently tackle hills, slopes, and tight spaces.

REAL-LIFE EFFICIENCY
Navigate tight spaces with ease, spend less time trimming edges, and watch your productivity soar.

LESS DOWNTIME, MORE UPTIME
Minimal maintenance through rugged, reliable design keeps you running strong all season long.

BUILT WITH PURPOSE
We don't just make mowers; we build partnerships to help your business thrive.

BUILT.
TESTED.
PERFECTED.
IN FREDERICK, MARYLAND, USA.



Proudly manufactured
and engineered
for unmatched precision
and reliability.



Performance You Can See

Engineered for cleaner cuts, improved durability, and easier maintenance.

Superior Cut Quality
Balanced airflow for cleaner results, even in tough, wet conditions.

Durable Construction
Compact, impact-resistant design withstands rigorous daily use.

Efficient by Design
More maneuverable. Get more done, faster, in tighter spaces.

Easier Maintenance
Quick blade changes, less downtime, longer-lasting belts and spindles.

Because better design equals better results.

STAND

HEAVY-DUTY COMMERCIAL



WRIGHT STANDER® ZK

52” | 61” | 72”

Vanguard | 61G8 | 40HP
Kawasaki | FX820 EVO | 34.5HP

Pumps: Hydro-Gear 16cc w/fans
Motors: Hydro-Gear 15 cu-in



WRIGHT STANDER® LG

52” | 61”

Kawasaki | FX820 EVO | 34.5HP
Kawasaki | FX850 | 27HP

Transaxle: Hydro-Gear ZT-4400



WRIGHT STANDER® X

48” | 52”

Kawasaki | FX730 | 23.5HP

Pumps: Hydro-Gear 12cc w/fans
Motors: Parker 16cu-in



WRIGHT STANDER® I

36” | 42”

Kawasaki | FX600 | 19HP

Pumps: Hydro-Gear 10cc
Motors: Danfoss 12cu-in

COMMERCIAL



WRIGHT STANDER® B

32” | 36” | 48” | 52”

Kawasaki | FX600 | 19HP
Kawasaki | FS651 | 22HP

Transaxle: Hydro-Gear ZT-3100

AUTONOMOUS



WRIGHT STANDER® ZK AUTONOMOUS

61” | 72”

Vanguard | 61G8 | 40HP

Pumps: Hydro-Gear 12cc w/fans
Motors: Hydro-Gear 15 cu-in

RIDE

HEAVY-DUTY COMMERCIAL



WRIGHT ZXT™

52” | 61” | 72”

Vanguard | 61G8 | 40HP OG
Kawasaki | FX1000 | 38.5HP

Pumps: Hydro-Gear 16cc w/fans
Motors: Hydro-Gear 18 cu-in



WRIGHT ZXL™

52” | 61”

Kawasaki | FX820 EVO | 34.5HP
Kawasaki | FX850 | 27HP

Transaxle: Hydro-Gear ZT-4400



WRIGHT ZTS™

52” | 61”

Kawasaki | FT730 | 24HP

Transaxle: Hydro-Gear ZT-3400

WALK

HEAVY-DUTY COMMERCIAL



WRIGHT VELKE™ LC

52” | 61”

Kawasaki | FX730 | 23.5HP

Pumps: Hydro-Gear 10cc
Motor: Danfoss 12 cu-in



WRIGHT VELKE™ HC

36” | 48”

Kawasaki | FX600 | 19HP

Pumps: Hydro-Gear 10cc
Motor: Danfoss 12 cu-in

WRIGHT

STANDER® ZK



ULTIMATE. POWERFUL. LOW-MAINTENANCE.

The *STANDER ZK™* is Wright's most powerful and productive stand-on mower, built for commercial pros who need to mow faster, fuel smarter, and tackle tough terrain with confidence. With high-horsepower EFI engine options, the ZK powers through steep slopes, heavy workloads, and long days without compromise. Its floating engine mount, dual fuel tanks, and Quad-Lever™ controls deliver smooth handling and maximum efficiency. A wide stance, low center of gravity, and angled operator platform boost stability and comfort on hills. Now in its third generation, the ZK adds an engine air pre-cleaner and guard for better protection and less maintenance, keeping your crew moving and your margins strong.

HEAVY-DUTY COMMERCIAL STAND-ON

TOP FEATURES:



15.5-gallon total capacity across dual tanks + EFI engine means fewer fuel stops and longer run time. Maximize productivity without the hassle of constant refueling.



Floating engine deck design keeps belts level at any height, ensuring consistent power and reduced wear in high-demand mowing.



Wide rear tire stance delivers superior hillside grip and agile turning for confident control on slopes and tight spots.



Commercial engine options deliver the power and efficiency needed for tough commercial jobs. Built for reliable starts, consistent output, and full-day productivity.

DECK & ENGINE OPTIONS

52"	61"	72"

Vanguard 61G8 40HP
Kawasaki FX820 EVO 34.5HP

DRIVETRAIN

PUMP:
Hydro-Gear 16cc
MOTOR:
Hydro-Gear 15 cu-in

FUEL CAPACITY

15.5 gal

SPEED

UP TO: 12.5 mph

REAR TIRES

24 X 9.5-12	24 X 12-12

RECOMMENDED ACCESSORIES



DUAL WHEEL/TWEEL
See page 33



WRIGHTVAC™
See page 34



SUPER SINGLE
P/N: 72410113



WRIGHT

STANDER® ZK AUTONOMOUS



DURABLE. COMFORTABLE. PRODUCTIVE.


The *AUTONOMOUS STANDER ZK™* is a productivity tool that helps your crew do more with less strain. Built on the Stander ZK chassis and driven by Greenzie's autonomous system, it efficiently covers large, open areas while your team focuses on detail work. With depth-sensing cameras and a centimeter-accurate GPS, it delivers consistent, high-quality results within defined boundaries. Greenzie's intuitive software lets you save job sites, set keep-out zones, track performance in real time, and more. Backed by a three-year autonomous system service plan, the Autonomous Stander ZK is a scalable solution that helps you grow your business.

AUTONOMOUS STAND-ON

TOP FEATURES:




While your crew handles trimming, edging, and cleanup, the Autonomous ZK handles the rest. Mow more in less time, while your team finishes jobs with pro-level detail.



Autonomous operation reduces risk by eliminating human error, while obstacle-aware sensors and RTK precision ensure safe, consistent cuts.



Mow plan defaults to "Smart Stripes," the longest stripes with the least number of turns. Easily adjust the stripe angle on the fly for desired crosscut.



Automatically avoids obstacles by adjusting its path in real time to steer around large stationary objects. Set custom keep-out zones in your maps before the job starts.

DECK & ENGINE OPTIONS

61"	72"

Vanguard 61G8 40HP

DRIVETRAIN

PUMP:
Hydro-Gear 12cc w/fans
MOTOR:
Hydro-Gear 15 cu-in

FUEL CAPACITY

15.5 gal

SPEED

UP TO: 9.5 mph

REAR TIRES

24 X 12-12

RECOMMENDED ACCESSORIES



TWEELS
See page 33



DUAL WHEEL
See page 33



SUPER SINGLE
P/N: 72410113



AUTONOMOUS PRODUCTIVITY.
TIME-TESTED PERFORMANCE.

The Wright Autonomous Stander ZK™ is built to do more so your crew can too. Driven by GREENZIE™ technology and backed by the proven strength of the Stander ZK platform, this mower delivers the next generation of productivity. Whether you're an owner-operator or managing a fleet, the Autonomous ZK helps multiply your output by handling the mowing while your team tackles other tasks. With the ability to seamlessly switch to manual operation, you get the best of both worlds: advanced autonomy and unmatched efficiency.



Seamless Autonomous & Manual Operation

Dual Functionality - Operate autonomously or manually, eliminating the need for separate equipment on site.
Intuitive Integration - Switch modes instantly to boost efficiency.

Advanced Autonomous Capabilities

Precision Site Planning - Set precise stripe angles, keep-out zones, and jobsite favorites in the user-friendly Greenzie app.
Real-Time Control & Monitoring - Track mower progress, remotely summon mowers, and receive real-time updates directly through the Greenzie app.

Rugged & Reliable

Robust Sensor Systems - Field-tested for obstacle detection, smooth navigation, and professional striping quality.
Production-Grade Reliability - Software updates automatically to improve performance.

Enhanced Productivity & Profitability


Crew Multiplier - Autonomous mowing frees your team for other essential tasks, increasing overall jobsite productivity.
Boost Uptime - Complete more jobs per day, maximizing your profit potential with each deployment.

Safety First, Always

Industry-Compliant Safety - Built in accordance with ANSI/RIA R15.08-1-2020 industrial robotics safety standards.
Proactive Protection - Designed with advanced safety systems that actively safeguard workers and jobsites.

Work Smarter, Not Harder

Autonomous Completion - Mow the perimeter once manually, then let the autonomous system efficiently finish the job while your team moves forward.



WRIGHT

STANDER® LG




SIMPLE. DURABLE. RELIABLE.

The *STANDER LG™* is built for commercial crews who demand reliable performance with minimal downtime. Inspired by our original large-frame Stander® from the late ‘90s, the LG offers simplified maintenance, enhanced reliability, and lower total cost of ownership, making it ideal for high-efficiency fleet operations. With powerful Kawasaki engine options (carbureted or EFI) and Hydro-Gear ZT-4400 transaxles, it delivers the muscle and speed to handle demanding jobs. A centrally mounted fuel tank boosts stability, while the flat-back Aero Core™ deck ensures a clean, professional cut. Tough, streamlined, and ready for daily commercial use, the Stander LG keeps crews moving and productivity high.

HEAVY-DUTY COMMERCIAL STAND-ON

TOP FEATURES:



The heavy-duty integrated transmission with large 1-3/8” axles increases reliability and reduces parts count, while journal-mounted swashplates improve control feel and response.



The 11-gallon central fuel tank improves side-to-side visibility, lowers the center of gravity, and enhances agility by keeping weight balanced near the center.



A simple electrical system minimizes complexity, reduces potential failure points, and makes servicing straightforward for quick, hassle-free maintenance.



A large-section steel frame and super-sized caster pivots deliver long-term durability, giving the Stander LG rugged strength to perform season after season.

DECK & ENGINE OPTIONS

52”	61”

Kawasaki FX820 EVO 34.5HP
Kawasaki FX850 27HP

DRIVETRAIN

TRANSAXLE:
Hydro-Gear ZT-4400

FUEL CAPACITY

11 gal

SPEED

UP TO: 12.5 mph

REAR TIRES

24 X 9.5-12	24 X 12-12

RECOMMENDED ACCESSORIES



WRIGHTVAC™
See page 34



FIRE EXT. MOUNT
P/N: 98490021



TRIMMER MOUNT
P/N: 98470110



WRIGHT

STANDER® X

HEAVY-DUTY COMMERCIAL STAND-ON



VERSATILE. INTERMEDIATE. REFINED.

The *STANDER X™* is a versatile powerhouse in the Stander® lineup, built for professional landscapers who demand performance, durability, and operator comfort in every job. Its sealed caster housings and rugged frame reduce downtime and extend longevity, while the 8-gallon triple-layer fuel tank keeps you working longer between fill-ups. A suspension platform with elastomer springs smooths out rough terrain for a more comfortable ride, and its compact footprint allows easy navigation through tight spaces and onto smaller trailers. Designed for daily commercial use, the Stander X combines power, efficiency, and maneuverability, making it a reliable choice for maximizing productivity across varied mowing conditions.

TOP FEATURES:



The innovative hinging control linkage system simplifies operation by eliminating the friction, wear, and complexity found in traditional cable-type controls.



The most advanced mid-size Stander® refined from the original. Sized between a walk-behind and a rider to maximize agility, comfort, and all-day productivity.



Superior deck drive system uses independent left and right belts, no tight-side idlers, and large backside idlers with double-row bearings for reliability and lower operating costs.



Sealed caster bearings and heavy-duty deep groove ball bearing wheels eliminate the need for grease fittings, minimizing maintenance and reducing downtime.

DECK & ENGINE OPTIONS	
48”	52”
Kawasaki FX730 23.5HP	

DRIVETRAIN

PUMP: Hydro-Gear 12 cc w/ fans

MOTOR: Parker 16 cu-in

FUEL CAPACITY

8 gal

SPEED

UP TO: 9.5 mph

REAR TIRES

20 X 10-8

RECOMMENDED ACCESSORIES



GRASS GOBBLER™
P/N: WRJ500-5



JACK MOUNT
P/N: 95410047



MULCH KIT
See page 32



WRIGHT

STANDER® I

HEAVY-DUTY COMMERCIAL STAND-ON



COMPACT. MANEUVERABLE. PRECISE.

The *STANDER I™* is a compact, heavy-duty commercial mower engineered for professional landscapers who demand power, agility, and precision in tight or gated spaces. With a low center of gravity and wide wheelbase, it delivers confident stability and smooth handling across varied terrain, all in a narrow frame. The Hydro-Gear drive system supports a spacious operator platform, while the cushion reduces fatigue for all-day comfort. Whether you're navigating complex properties or maximizing trailer space, the Stander Intensity™ brings unmatched versatility and performance to any commercial fleet.

TOP FEATURES:



A locking push-button handle with an over-spring design makes deck height adjustments extremely easy, while preventing bounce when raising or lowering the deck.



A uniquely low center of gravity gives the mower exceptional maneuverability and stability, which is especially valuable on narrow properties and uneven terrain.



Its pump and motor drivetrain allows for a wider operation platform and large rear tires, combining comfort with confident traction in a compact footprint.



The floating engine design keeps belt angles consistent as the deck moves, extending belt life and maintaining smooth power delivery across all cut heights.

DECK & ENGINE OPTIONS

36”	42”

Kawasaki FX600 19HP

DRIVETRAIN

PUMP:
Hydro-Gear 10 cc
MOTOR:
Danfoss 12 cu-in

FUEL CAPACITY

5.5 gal

SPEED

UP TO: 8.2 mph

REAR TIRES

18 X 8.5-10

RECOMMENDED ACCESSORIES



LIGHT POD KIT
P/N: 95420008



TWEELS
P/N: 72410097
42" Model



TRIMMER MOUNT
P/N: 98470110



WRIGHT

STANDER® B



BASIC. PRODUCTIVE. COMPACT.

The *STANDER B™* is a fully commercial stand-on mower designed for professional landscapers who need a reliable, versatile machine for daily operation. Available in small and large frame options, it adapts to a wide range of mowing needs from tight, gated spaces to larger, open properties. Small frame models (32” and 36”) excel in narrow access areas, while large frame models (48” and 52”) deliver efficient coverage on mid-sized lawns. Powered by commercial engine options, the Stander B combines robust performance and durable construction with an affordable price. It’s low-maintenance design, compact footprint, and ergonomic operator platform make it a practical, cost-effective solution for any professional lawn care business.

COMMERCIAL STAND-ON

TOP FEATURES:



The transmission features steel-cut gears from the ZT-3400 series, delivering commercial-grade strength and lasting reliability in a compact package.



Heavy-duty commercial engine options offer premium performance, with external air cleaners on 32” and 36” models for added durability and easier maintenance.



By fixing the engine to the frame, it supports integrated transmissions, giving you more value through simplified design and dependable performance.



Flat-free front caster wheels eliminate downtime from flats, keeping you productive and on schedule no matter the terrain.

DECK & ENGINE OPTIONS

SMALL FRAME		LARGE FRAME	
32”	36”	48”	52”
Kawasaki FX600 19HP		Kawasaki FS651 22HP	

DRIVETRAIN

TRANSAXLE:
Hydro-Gear ZT-3100

FUEL CAPACITY

5 gal

SPEED

UP TO: 7 mph

REAR TIRES

20 X 6.5-10	20 X 8-10	20 X 10-8

RECOMMENDED ACCESSORIES



LIGHT POD KIT
P/N: 95420008



GRASS GOBBLER™
P/N: WRJ500-5



COLLECTION BUCKET
P/N: 95490025



HEAVY-DUTY COMMERCIAL MID-MOUNT



POWERFUL. COMFORTABLE. LOW-MAINTENANCE.

The *ZXT™* is Wright's premier commercial zero-turn mower, built for landscapers who demand maximum productivity, durability, and comfort on large-scale jobs. Available in 52", 61", and 72" decks, it offers fast, precision mowing across properties of any size. A heavy-duty Hydro Gear pump and wheel motor system, paired with 26" drive tires, delivers strong traction and smooth control on tough terrain. For all-day comfort, the ZXT features Wright's Long Travel Suspension seat to reduce shock and fatigue. Engine options include Kawasaki's FX1000 or the Vanguard with Oil Guard™ for extended 500-hour oil intervals. With ergonomic controls, adjustable deck height, and a rugged frame, the ZXT is built for nonstop productvitiy and elite commercial mowing.

TOP FEATURES:

LONG TRAVEL SUSPENSION



Experience dramatically less fatigue with our Long Travel Suspension system. The seat and controls move with you so you stay comfortable, even on rough terrain.



Tackle hills and soft ground with ease. These large, high-flotation tires increase grip and reduce turf damage, giving you more control when you need it.



High-horsepower engine options give you the power to cut through dense grass and big acreage with ease so you finish jobs quicker and take on more in a day.



1,000-hour hydro oil intervals (with Wright oil) means fewer stops and more time cutting, keeping you productive for longer.

DECK & ENGINE OPTIONS

52"	61"	72"

Vanguard 61G8 40 HP OG
Kawasaki FX1000 38.5 HP

DRIVETRAIN

PUMP:
Hydro-Gear 16cc w/fans
MOTOR:
Hydro-Gear 18 cu-in

FUEL CAPACITY

15.5 gal

SPEED

UP TO: 13 mph

REAR TIRES

26 X 9.5-12	26 X 14-12

RECOMMENDED ACCESSORIES



DUAL TWEEL KIT
P/N: 95410050



WRIGHTVAC™
See page 34



MULCH KIT
See page 32



HEAVY-DUTY COMMERCIAL MID-MOUNT



DURABLE. COMFORTABLE. PRODUCTIVE.

The *ZXL™* is a heavy-duty commercial zero-turn rider built for professional landscapers and fleet operators. Engineered for long hours of high-performance mowing, it features a rugged steel frame, powerful engine options, and 52” and 61” cutting decks for efficient coverage on medium to large properties. The Aero Core™ deck delivers a clean, even cut on varied terrain, while the durable, low-maintenance design ensures long-term reliability ideal for fleet operations. Operators benefit from intuitive controls, including a foot-controlled brake and deck lift for quick adjustments without taking hands off the steering controls. With a fuel capacity of 15.5-gal and a focus on uptime and serviceability, the ZXL delivers the strength and simplicity professionals demand.

TOP FEATURES:



The Hydro-Gear ZT-4400 transaxle gives the ZXL smooth, responsive control, making tight turns and quick adjustments feel easy, even on tough terrain.



With dual deck belts, you get longer-lasting performance and fewer maintenance stops so you stay mowing instead of replacing parts.



Mow more acres with less downtime. The combined 15.5-gallons across dual tanks keeps you running longer between fill-ups.



The heavy-duty frame, commercial-grade bumper, and rugged casters are built for demanding daily use, yet still easy to load and transport between jobs.

DECK & ENGINE OPTIONS	
52”	61”
Kawasaki FX820 EVO 34.5HP Kawasaki FX850 27 HP	
DRIVETRAIN	
TRANSAXLE: Hydro-Gear ZT-4400	
FUEL CAPACITY	
15.5 gal	
SPEED	
UP TO: 12.5 mph	
REAR TIRES	
24 X 9.5-12	24 X 12-12

RECOMMENDED ACCESSORIES



LIGHT POD KIT
P/N: 95420008; 95410073



WRIGHTVAC™
See page 34



COLLECTION BUCKET
P/N: 95490023



HEAVY-DUTY COMMERCIAL MID-MOUNT



COMFORTABLE. EFFICIENT. LOW-MAINTENANCE.

The *ZTS™* is the perfect entry into Wright's mid-mount zero-turn mower lineup, designed for commercial cutters who want standout comfort without sacrificing durability or performance. Every detail is built for the real-world needs of landscapers, blending the ease of a ride-on with the efficiency and reliability Wright is known for. Take on demanding jobs with less downtime and more return on investment. Whether you're expanding your fleet or upgrading your lineup, the ZTS delivers a smoother ride, faster operation, and proven productivity that pays off day after day.

TOP FEATURES:



Independent Front Suspension allows the deck to follow the front wheels across uneven terrain, delivering a smoother ride and cleaner cut, even in rough conditions.



Integrated Parking Brake activated through the hand controls. It's simple, intuitive, and eliminates the need for multiple steps so you can get to work faster.



The short axle design on the ZT-3400 reduces bearing load for longer life, while a sealed venting system prevents leaks and simplifies maintenance.



Engineered to keep you running featuring a low-maintenance design that reduces wear and minimizes buildup for less downtime and more time on the job.

DECK & ENGINE OPTIONS	
52"	61"
Kawasaki FT730 24HP	
DRIVETRAIN	
TRANSAXLE: Hydro-Gear ZT-3400	
FUEL CAPACITY	
7.5 gal	
SPEED	
UP TO: 10 mph	
REAR TIRES	
24 X 9.5-12	24 X 12-12

RECOMMENDED ACCESSORIES



MULCH KIT
See page 32



SIDE LIGHT KIT
P/N: 95410073



TOW HITCH
P/N: 95410070



Actual product may differ from photos.
Pre-production unit shown.

WRIGHT VELKE™ LC & WRIGHT VELKE™ HC



Image shows Velke X2 Sulky™ and Velke Sulky™ Pro 1. Kit sold separately.

LIGHT. COMFORTABLE. PRODUCTIVE.


The *VELKE LC™* and ***VELKE HC™*** walk-behind mowers deliver rugged performance, Comfort Grip Controls, and reliable traction for commercial crews working tough terrain. The Velke HC features a compact, balanced design ideal for tight spaces, with stable handling, strong climbing ability, and intuitive controls for all-day comfort. The Velke LC builds on the HC's durable foundation with a wider-stance undercarriage, larger caster wheels, and a shifted handlebar for improved balance with the larger deck. Both models include inward-tilted grips and an "L"-shaped handlebar for obstacle clearance and added legroom. Whether you need tight maneuverability or extra stability, the HC and LC are built to meet the demands of the job.

HEAVY-DUTY COMMERCIAL WALK-BEHIND

TOP FEATURES:



Adjustable pump return springs let you fine-tune control feel from "very soft" for smooth handling to "hill climbing" for more aggressive response on steep terrain.



The pump and motor system provides excellent durability and added ground clearance, making it easier to climb curbs and handle tough conditions.



Comfort Grip Controls are mounted on rubber isolators to reduce vibration and shock, delivering a smoother, more comfortable operator experience.



A Sulky latch integrated directly into the handlebar allows quick, tool-free stowing and releasing of the Sulky, making transitions fast and frustration free.

DECK & ENGINE OPTIONS

SMALL FRAME		LARGE FRAME	
36"	48"	52"	61"
Kawasaki FX600 19HP		Kawasaki FX730 23.5HP	

DRIVETRAIN

PUMP: Hydro-Gear 10cc

MOTOR: Danfoss 12 cu-in

FUEL CAPACITY

5.5 gal

SPEED

UP TO: 6.5 mph	UP TO: 8.2 mph

REAR TIRES

16 X 7.5-8	18 X 8.5-8

RECOMMENDED ACCESSORIES



GRASS GOBBLER™
P/N: WRJ500-5



VELKE X2 SULKY™
P/N: VKX2



VELKE SULKY™ PRO 1
P/N: VK



STAND

RIDE

WALK

	ZK	ZK AUTONOMOUS	LG	X	I	B LARGE FRAME	B SMALL FRAME	ZXT	ZXL	ZTS	LC	HC
	HEAVY-DUTY COMMERCIAL					COMMERCIAL		HEAVY-DUTY COMMERCIAL				
Engine & Deck Options	Vanguard 61G8 40HP 52” | 61” | 72” Kawasaki FX820 EVO 34.5HP 52” | 61” | 72”	Vanguard 61G8 40HP 61” | 72”	Kawasaki FX820 EVO 34.5HP 52” | 61” Kawasaki FX850 27HP 52” | 61”	Kawasaki FX730 23.5HP 48” | 52”	Kawasaki FX600 19HP 36” | 42”	Kawasaki FS651 22HP 48” | 52”	Kawasaki FX600 19HP 32” | 36”	Vanguard 61G8 40HP OG 52” | 61” | 72” Kawasaki FX1000 38.5HP 52” | 61” | 72”	Kawasaki FX820 EVO 34.5HP 52” | 61” Kawasaki FX850 27HP 52” | 61”	Kawasaki FT730 24HP 52” | 61”	Kawasaki FX730 23.5HP 52” | 61”	Kawasaki FX600 19HP 36” | 48”
Drivetrain	Pump: Hydro-Gear 16cc w/ tapered shaft & fans Motor: Hydro-Gear 15 cu-in	Pump: Hydro-Gear 12cc w/HSA & fans Motor: Hydro-Gear 15 cu-in	Transaxle: Hydro-Gear ZT-4400	Pump: Hydro-Gear 12cc w/fans Motor: Parker 16cu-in	Pump: Hydro-Gear 10cc Motor: Danfoss 12cu-in	Transaxle: Hydro-Gear ZT-3100	Transaxle: Hydro-Gear ZT-3100	Pump: Hydro-Gear 16cc w/ tapered shaft & fans Motor: Hydro-Gear 18 cu-in	Transaxle: Hydro-Gear ZT-4400	Transaxle: Hydro-Gear ZT-3400	Pump: Hydro-Gear 10cc Motor: Danfoss 12 cu-in	Pump: Hydro-Gear 10cc Motor: Danfoss 12 cu-in
Fuel Tank/s	15.5 gal.	15.5 gal.	11 gal.	8 gal.	5.5 gal.	5 gal.	5 gal.	15.5 gal.	15.5 gal.	7.5 gal.	5.5 gal.	5.5 gal.
Speed	Up to 12.5 mph	Up to 11.5 mph	Up to 12.5 mph	Up to 9.5 mph	Up to 8.2 mph	Up to 7 mph	Up to 7 mph	Up to 13 mph	Up to 12.5 mph	Up to 10 mph	Up to 8.2 mph	Up to 6.5 mph
Acres/Hour	52”: 6.57 61”: 7.7 72”: 9.09	61”: 7.09 72”: 8.036	52”: 6.57 61”: 7.7	48”: 4.61 52”: 4.99	36”: 2.98 42”: 3.48	48”: 3.39 52”: 3.68	32”: 2.26 36”: 2.55	52”: 6.83 61”: 8.01 72”: 9.45	52”: 6.57 61”: 7.7	52”: 5.25 61”: 6.16	52”: 4.31 61”: 5.05	36”: 2.36 48”: 3.15
Rear Tires	52”: 24 X 9.5-12 61”: 24 X 12-12 72”: 24 X 12-12	24 X 12-12	52”: 24 X 9.5-12 61”: 24 X 12-12	20 X 10-8	18 X 8.5-10	20 X 10-8	32”: 20 X 6.5-10 36”: 20 X 8-10	52”: 26 X 9.5-12 61”: 26 X 14-12 72”: 26 X 14-12	52”: 24 X 9.5-12 61”: 24 X 12-12	52”: 24 X 9.5-12 61”: 24 X 12-12	18 X 8.5-8	16 X 7.5-8
Front Tires	13 X 6.5-6	13 X 6.5-6	13 X 5-6	13 X 5-6	11 X 4-5	11 X 4-5	11 X 4-5	13 X 6.5-6	13 X 6.5-6	13 X 6.5-6	11 X 4-5	9 X 3.5-4
Length / Width (deflector up)	52”: 68” X 53” 61”: 70” X 62” 72”: 72” X 73”	61”: 70” X 62” 72”: 72” X 73”	52”: 71” X 53” 61”: 71.5” X 62”	48”: 65” X 49” 52”: 66” X 53”	36”: 62” X 36.5” 42”: 70” X 42.5”	48”: 65.75” X 49” 52”: 65.75” X 53”	32”: 66.5” X 34” 36”: 66.5” X 37.5”	52”: 82.5” X 53” 61”: 83.5” X 62” 72”: 84.5” X 73”	52”: 82.5” X 53” 61”: 83” X 62”	52”: 82” X 52” 61”: 82” X 61”	52”: 81.5” X 53” 61”: 84” X 62”	36”: 75” X 36.5” 48”: 74” X 49”
Weight	52”: 1130 lbs. 61”: 1180 lbs. 72”: 1260 lbs.	61”: 1310 lbs. 72”: 1380 lbs.	52”: 1080 lbs. 61”: 1180 lbs.	48”: 900 lbs. 52”: 920 lbs.	36”: 717 lbs. 42”: 740 lbs.	48”: 780 lbs. 52”: 800 lbs.	32”: 730 lbs. 36”: 740 lbs.	52”: 1491 lbs. 61”: 1521 lbs. 72”: 1551 lbs.	52”: 1250 lbs. 61”: 1310 lbs.	52”: 1160 lbs. 61”: 1210 lbs.	52”: 740 lbs. 61”: 790 lbs.	36”: 580 lbs. 48”: 690 lbs.
Cut Height	1.5”-5.5”	1.5”-5.5”	1.75”-5.75”	1.5”-5.5”	1.5”-5”	2”-5”	2”-5”	1.5”-6”	1.5”-6”	1.5”-5”	1.5”-4.25”	1.5”-4.25”
Discharge	Side Discharge	Mulching	Side Discharge	Side Discharge	Side Discharge	Side Discharge	Side Discharge	Side Discharge	Side Discharge	Side Discharge	Side Discharge	Side Discharge
Type	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Square Nosed 11 Gauge Laminate	Square Nosed 7 Gauge Laminate	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel	Aero Core™ 7 Gauge Steel
Blades	52”: 18” (3) 61”: 21” (3) 72”: 24.5” (3)	61”: 21” (3) 72”: 24.5” (3)	52”: 18” (3) 61”: 21” (3)	48”: 16.5” (3) 52”: 18” (3)	36”: 18” (2) 42”: 21” (2)	48”: 16.5” (3) 52”: 18” (3)	32”: 16.5” (2) 36”: 18” (2)	52”: 18” (3) 61”: 21” (3) 72”: 24.5” (3)	52”: 18” (3) 61”: 21” (3)	52”: 18” (3) 61”: 21” (3)	52”: 18” (3) 61”: 21” (3)	36”: 18” (2) 48”: 16.5” (3)

MOWER ACCESSORIES

Commercial accessories designed to increase your productivity, enhance performance, and deliver more value on every job.



LIGHT POD KIT

Light up your stripes with the Wright LED Light Pod kit. Includes 2 light pods, mounting brackets, wiring and switch.

PN: 95420008; 95410073

COMPATIBILITY: ALL MODELS



TRIMMER MOUNT

Save time and keep your trimmer with you on the go. Includes trimmer mounting bracket.

PN: 98470110

COMPATIBILITY: I, X, LG, & ZK



BLOCK OFF PLATE

Blocks off discharge chute for mulching. Includes block plate.

PN: 93460215

COMPATIBILITY: ALL MODELS



MOWER JACK ADAPTOR

The adaptor is designed to fit with Toro Deck Maintenance Jack PN 127-6666.

PN: 95410047

COMPATIBILITY: B (48”/52”), I, X, LG & ZK



FIRE EXT. BRACKET

The bracket allows you to mount a fire extinguisher to your mower.

PN: 98490021

COMPATIBILITY: LC, HC, B, I, X, LG, ZK & ZTS



COLLECTION KITS

Conveniently dispose of litter as you mow, leaving every property spotless.

PN: See chart on page 32

COMPATIBILITY: ALL MODELS



REAR HITCH KIT

Easily attach a small garden wagon or other towable accessories to your mower for added versatility.

PN: 95410070

COMPATIBILITY: ZTS



STRIPE KIT

For darker stripes with your large frame Stander B. Not available on 32” and 36” models.

PN: 98460074

COMPATIBILITY: B (48”/52”)



15W-50 HYDRO OIL

Double your hydro-oil interval with Wright oil. See page 32 for hydro filter part numbers.

PN: 36490013

COMPATIBILITY: ALL MODELS

ADDITIONAL ACCESSORIES

Use the chart below for part numbers and compatibility by mower model.

MOWER	HYDRO-FILTER	COLLECTION BAG	COLLECTION BUCKET
ZK	34490002	95490031	95490025
LG	39410411	N/A	95490029
X	34490002	95490014	95490024
I	34490002	95490015	95490027
B	39410007	95490020	95490025
ZXT	34490002	N/A	95490023
ZXL	39410411	N/A	95490023
ZTS	39410007	95410072	N/A
LC	34490002	95410016	95490026
HC	34490002	95410016	95490026

VELKE SULKY™




VELKE SULKY™ PRO 1

Strong welded steel construction. Fits most professional brands. Operator capacity of approximately 200 lbs.

PN: VK

COMPATIBILITY: LC & HC



VELKE X2 SULKY™


Wide, open platform for greater operator comfort. Operator capacity of approximately 280 lbs.

PN: VKX2

COMPATIBILITY: LC & HC

MULCH KITS

Mulch kits give you a great alternative to collecting clippings and leaves. The recirculating baffles break down clippings into small and easily biodegradable pieces.



DECK SIZE	AERO CORE™	STANDER B
32”	95460029	95460030
36”	95480005	95460031
42”	95480006	N/A
48”	95430009	95430009
52”	95440011	95440001
61”	95450011	N/A
72”	98460069	N/A

GRASS GOBBLER™



*All models with “J” are Jumbo with 4.3 cu-ft
**All other models are regular with 3.3 cu-ft

MOWER	GOBBLER™
Exmark Viking, Metro, E, S, X series.	GG450 / GGJ550
Gravely 2002 & later Pro G & H/Pro Turn, Pro Walk	WRJ300-3
Wright type Deere	JDJ500
Ransomes/Bobcat 94’ & Later	GG250
Ransomes/Bobcat 01’ & Later Floating Deck	TE250 / TEJ350
Ransomes/Bobcat 01’ & Fixed Deck	GG450 / GGJ550
Scag Advantage	SA200-2 / SAJ300-3
Scag Velocity	SVJ300-3
Ferris, Snapper, Simplicity (ICD type deck)	FSJ300-3
Toro Floating Deck 01’ & Later & Turbo Force	TOJ350
Wright™ Original	WR200-2 / WRJ300-3
Wright Aero Core™	WRJ500-5
Leaf Gobbler™ fits all Jumbo	LG1000

TIRE & TWEEL™ GUIDE

Use the tire guide below for approved applications.



TIRE/TWEEL SIZE	PART #	MOWER COMPATABILITY
18.5" Tweel	72410097	Stander X & Stander I 42"
24" Tweel (inset)	72410110	Stander ZK 52" (Also order two, 1/8th spacers PN 91410498)
24" Tweel (outset)	72410098	ZXL, Stander LG, Stander ZK 61" & 72"
24" Dual Tweel Kit	95410048	Stander ZK 72"
24" Dual Wheel Kit	95410067	Stander ZK 72"
24" Super Single	72410113	ZK and Auto ZK (61" & 72")
26" Tweel (off-road)	72410103	ZXT 52" & 61"
26" Tweel (turf)	72410104	ZXT 61" & 72"
26" Dual Tweel Kit (off-road)	95410050	ZXT 72"
26" Dual Wheel Kit (turf)	95410051	ZXT 72"



WRIGHTVAC™



BLOWER

- TOOL-LESS QUICK RELEASE
- 12" IMPELLER
- 4,300 RPM
- HORIZONTAL BLOWER
- STEEL CONSTRUCTION
- EROSION RESISTANT BOOT
- SEALED BEARINGS
- 5-BLADE IMPELLER
- 58 LBS

BAGGER

- TOOL-LESS REMOVAL OF BAGGER UNIT
- SPRING ASSISTED TRUNK LID
- TRANSPARENT HOSE
- 3-BUCKET BAGGER FOR 10 BUSHEL CAPACITY
- INTERNAL LID VENT FOR INCREASED AIRFLOW

INCLUDED IN THE KIT

- BLOWER
- 3-BIN BAGGER
- FRONT HITCH RECEIVER
- WEIGHT KIT
- ALL HARDWARE NEEDED FOR INSTALLATION

***Deck-specific pulley kit and stand-on bracket sold separately. Reference the chart below for part numbers.**

WRIGHTVAC WARRANTY

The WrightVac™ is warranted for the same period as the mower on which it is installed. If a new WrightVac is installed on an out-of-warranty machine, the accessory is warranted for 90 days per our service parts warranty.

MOWER	WRIGHTVAC	TRAILER MOUNT	STAND-ON BRACKET	DECK SIZE	PULLEY KIT
LG	95320001	95320010	95320011	52	95320012
				61	95320013
ZK GEN 3			95320017	52	95320014
				61	95320015
				72	95320016
ZXL ZXT			N/A	52	95320002
				61	95320003
				72	95320004

FINANCING

At Wright, our goal is to provide customers with the most flexible purchasing options tailored to their individual needs. From pre-approval through final purchase, our trusted dealers work closely with you at every step, ensuring a smooth, transparent process that makes financing your equipment simple and stress-free.

APPLY AT

Personal service... It's that simple.
SHEFFIELD Financial
A division of Truist
SHEFFIELDFINANCIAL.COM

Western Equipment Finance
WESTERNEQUIPMENTFINANCE.COM

clicklease
GO.CLICKLEASE.COM

synchrony
SYNCHRONY.COM

NCL Government Capital
NCLGOVCAP.COM

Step Into WRIGHT™ Savings!

WRIGHT WARRIORS
MILITARY
POLICE
FIRE

First Responder Discount

We're proud to support those who serve our communities. Active-duty military, veterans, firefighters, and police officers can save **up to 16% off retail prices** on any new Wright mower.

Excludes accessories, parts, and promotional items. Cannot be combined with other Wright programs, bids, fleets, or rebates. Dealer verification required.

Government and Public Sector Sales

Sourcewell Awarded Contract
Contract # 112624-WRT

equalis GROUP

canoe APPROVED SUPPLIER

Wright's specialty is commercial lawn mowers, precisely the equipment public sector entities like you rely on to keep your grounds looking immaculate. Our exclusive focus on high-quality commercial mowers ensures we understand and meet the unique demands of government and institutional customers. Through our current Group Purchasing Organization (GPO) contracts with Sourcewell and Equalis Group, we offer streamlined procurement and competitive pricing. By choosing Wright, you are selecting a dedicated partner committed to providing top-tier commercial mowing solutions tailored to the public sector. Learn more at **wrightmfg.com/government/**

2026 National Promo Models

Powered exclusively by Kawasaki's proven FX850 carbureted engine, Wright's National Promo Models deliver reliable performance. This promotion includes only the FX850-equipped **ZXL** and **Stander LG**, available in 52" and 61" deck sizes, with special pricing nationwide through August 31, 2026.

See your local Wright dealer for pricing and availability. Promotion subject to dealer participation and product availability.



WARRANTY

We are committed to offering you unparalleled service when it comes to your warranty. We wholeheartedly back our products from manufacturing defects during the warranty period.

We provide a 2-Year/Unlimited Hour or 5-Year/500 Hour warranty (whichever comes first) for all new Wright mowers. A copy of the warranty can be found in the owner's manual included with the purchase of a mower, and is also available to download for free from the Wright website. Contact your local Wright dealer to schedule a warranty-covered service appointment.


OEM accessories are warranted for the same period as the mower on which they are installed. If a new accessory is installed on an out-of-warranty machine, the accessory is warranted for 90 days per our service parts warranty. Velke and Gobblers are excluded and warranted individually.

PARTS LOOKUP

In our pursuit of exceptional service, we are continuously improving our ways to simplify and save you time when it comes to your Wright mower.

As a result, we have created a robust parts lookup site for you to instantly find the part you are looking for on your Wright mower.

All you need is your mower serial number and a keyword.



parts.wrightmfg.com

Email sales@wrightmfg.com for sales questions about mower models, accessories and more.
Email service@wrightmfg.com for service questions about mowers, accessories and more.

WRIGHT OWNERS GROUP

Success is stronger when it's shared. The ***Wright Owners Group*** brings landscapers together who are building reliable, thriving businesses and pushing the industry forward. It's a place to connect with people who understand your challenges, celebrate your wins, and share ideas that spark growth.

By signing up at wolf.wrightmfg.com and joining our private Facebook group, ***Wright Owners Group***, you'll become part of a supportive community that inspires and learns from each other. We want to see your work, hear your feedback, and grow alongside you. Together, we shape the future of Wright.

STAY CONNECTED WITH US!

#WrightMowers #BuiltTestedPerfected

WRIGHT Exclusives



WRIGHT MERCH
wrightmerchshop.com



WRIGHT × KUJO
kujo.com/wright

QUESTIONS?

Visit www.wrightmfg.com to find detailed information about our mowers, Owner's Manuals, find your local dealer, service documents and more.

4600 WEDGEWOOD BLVD STE X
FREDERICK, MD 21703-7167
(301) 360-9810



WWW.WRIGHTMFG.COM

79550145